

STAND OUT AT YOUR EVENT

LED Display Banner **AVAILABLE**



Indoor &
Outdoor



Pick-Up &
Delivery



Graphic
Set-Up



Buy &
Rent



All-in-One Design



Plug & Play



High Brightness



Energy Saving

**ELEVATE YOUR
BRAND**

BOOK YOUR DISPLAY NOW

☎ 844-469-4779

📍 360 York Rd. **Niagara-On-The Lake**

LED POSTER

Portable • Scalable • Easy to Control



3840HzHz



Foldable Design



$\geq 800\text{cd/m}^2$



Easy to move



Smart Cloud
Management



Easy
Installation




Die Cast
Aluminum



57.5kg

WIDE APPLICATIONS



Retail Stores




Shopping Malls




Showroom



Exhibition & Trade
Shows



Airport &
Transportation Hubs



Hotel Lobby &
Convention Centres

Capture Attention Anywhere

With high brightness technology, portable design, and seamless content management, Zippy LED Posters help businesses deliver impactful advertising wherever visibility matters most.

SPECIFICATIONS

Designed to **Stand Out** Indoors & Outdoors

Pixel pitch(mm)	P1.25	P1.53	P1.86	P2	P2.5
LED package	COB/GOB/HOB/SMD	COB/GOB/HOB/SMD	COB/GOB/HOB/SMD	GOB/HOB/SMD	GOB/HOB/SMD
Module resolution(W*H)	256*128pixels	208*104pixels	172*86pixels	160*80pixels	128*64pixels
Module dimension(W*H)	320mm*160mm				
Display dimension(W*H)	640*1920mm				
Module arrangement(W*H)	2*12				
Cabinet flatness	≤0.1mm				
Cabinet dimensions(W*H)	640mm*480mm				
Weight	≤57.5kg				
Serviceability	Front-access				
Physical density	640,000dots/m ²	422,500dots/m ²	289,050dots/m ²	250000dots/m ²	160,000dots/m ²
Brightness	600-800cd/m ² (adjustable)				
Viewing angle (H/V)	140°/140°				
Screen flatness	≥98%				
Chromaticity uniformity	±0.003				
Contrast ratio(max)	5,000:1				
IP rating	IP43				
Color depth	14-16bit				
Driving mode	1/43S				
Refresh rate	≥3,840Hz				
Color temperature	2,000K-9,500K(adjustable)				
Input voltage	AC: 110V-240V, 50-60Hz				
Max. power consumption	≤600W/m ²				
Ave. power consumption	160W/m ² - 265W/m ²				
MTBF	≥10,000hrs				
Operating environment - Temperature	-10°C - +60°C				
Operating environment - Humidity	30% -75%RH (no condensation)				

Seamless Display Experience



- Multi-screen **seamless splicing**
- **Foldable** and portable
- Smart cloud **management**
- **Front** maintenance
- **3840Hz** **High refresh**



Foldable Design

Foldable backwards, magnetic edging for **convenient and quick installation**



Seamless Splicing Screen Play

Supports either individual and **combination display as video wall**



READY TO UPGRADE YOUR ADVERTISING?

Innovative LED display solutions designed to help businesses attract attention, enhance visibility, and create unforgettable visual experiences.

Contact Us

📞 844-469-4779

📍 360 York Rd. *Niagara-On-The Lake*

✉️ sunny@zippyglobaltrading.com

🌐 www.zippyglobaltrading.com

